



1200X1200mm



COLLECTION **2019**


The background of the image is a marbled pattern. It features a light beige or off-white base color, overlaid with various shades of brown and tan. The patterns are organic and fluid, with some areas showing more pronounced, darker veins and others appearing more as soft, misty washes of color. The overall effect is reminiscent of natural stone or a sophisticated, modern interior design aesthetic.

SMART MARBLE



Smart Marble is a flourishing centre for Italian design and slabs. Smart Marble is a new conglomerate that offers a rich array of products and services in terms of design and manufacturing of slabs. Smart Marble represents unparalleled technical, artistic and organizational standards that distinguish it from its peers.

Smart Marble is the essence of years of rigorous research. In its core efforts, Smart Marble epitomizes the urge to establish new standards and norms in the industry. Over decades of experience has gone into the making of this ambitious venture that us set to revolutionize art and craft of manufacturing slabs. Based on ground-breaking research, Smart Marble has conceptualized its ravishing designs and world-class manufacturing process.





WHAT IS **SMART MARBLE?**


**STRENGTH PLUS
LIGHTNESS,
VERY LARG SIZES
AND LOW THICKNESS.**

An innovative and Italian quality porcelain slabs, ideal for kitchen countertops, bathroom countertops, furniture, flooring and wall applications. The perfect combination of quality and wide collections of texture surface like marble, stone, wood, metal & concrete.

><
6 MM
0.24"

><
9 MM
0.36"





Specific answers to any need.
5 sizes, 2 thickness options

APPLICATION



AIRPORT



RESTAURANT



FITTED KITCHEN AND
BATHROOM FURNITURE



HOTELS



RETAIL MALLS



SPA AND WELLNESS
CENTRES



OFFICES



SHOPS



MUSEUMS



VENTILATED CURTAIN
WALLS



HOMES



INTERIOR DESIGN
AND FURNISHINGS

NEW PRODUCTION TECHNOLOGIES BRING UP THE CHALLENGE OF CREATING MATERIALS CAPABLE OF SHAPING THE SPACE TECHNICALLY AND ESTHETICLY IN AN EFFICIENT WAY.

Smart Marble, a brand born to provide advanced solutions to architecture and interior design. Materials that offer unlimited versatility in all fields of construction, furniture, design, etc.

FEATURES



HIGHLY UV
RESISTANT



RESISTANT TO
SCRATCHES



WATERPROOF



RESISTANCE TO
CHEMICAL ATTACK



LIGHTNESS



LIGHTNESS



FROST
RESISTANCE



RESISTANT TO
STAINS



RECYCLABLE














EASY TO CLEAN



FIREPROOF

POSSIBILITIES



**ORIGINALITY
IS MUST.**



VISIONARY DESIGN

Smart Marble is the perfect combination of visionary design and technological performance, a creative partner anywhere in the world for any type of architectural project requiring distinction through unique, recognizable style.

INNOVATION FOR TOP ARCHITECTURE


Smart Marble stands for innovation that elevates architecture to a rare art form. It leverages design features in such a fashion that architects are able to unleash their creativity and give shape to spaces in an unhindered way. Ibis provides unparalleled innovation quotient for architecture to flourish.

INDUSTRIAL EXPERTISE FOR TECHNICAL PERFECTION

From inception of an idea to manufacturing it to perfection, Ibis possesses staggering industrial expertise for technical excellence. At Ibis, excellence is the only standard that we maintain.

INSPIRING DESIGNERS


The visionary design philosophy propels us towards the consortium of designers who are looking to push the frontiers of design. We collaborate with designers of international repute and provide the impetus for their design aspirations.



FINISH



GLOSSY



Different tones of cream, in line with warmer personalities. You can have beautiful spaces that embrace and create a home. We have marbles with great decorative possibilities that never fail. Some are calmer, other are more innovative. They are all beautiful and create a great range of radiant begies that shine with their own light.



ANTRESIT BEIGE

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

ANTRESIT GREY

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ANTRESIT BIANCO

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ARMANI BEIGE

RANDOM

3



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ARMANI GREY

RANDOM

3



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY




EFFECT

MARBLE

BLACK BEAUTY

RANDOM

4



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY



EFFECT

MARBLE

BIANCO STATUARIO VENATO

RANDOM

3



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

BRESSIA ONICIATA

RANDOM

4



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY




EFFECT

MARBLE

BLACK PEARL

RANDOM

11



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE



BOTTOCHINO CLASSICO BEIGE

RANDOM

10



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE



DYNA CLASSIC

RANDOM

3



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

DOLCEY BEIGE

RANDOM

4



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

DYNA NATURAL

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

FRENCH BONE

RANDOM

4



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

FRENCH SILVER

RANDOM

4



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY




EFFECT

MARBLE

FRENCH PORCELAIN

RANDOM

4



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

ICE ONYX

RANDOM

3



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY




EFFECT

MARBLE

LOURENT GOLD

RANDOM

4



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

MARBLE STATUARIO

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

MARBLE CARARA

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

MARFIL BEIGE

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY


EFFECT

MARBLE

MONACO BIANCO

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

NOVELLE ICE

RANDOM

2



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

NOVELLE CREMA

RANDOM

2



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY




EFFECT

MARBLE

ORIENT BEIGE

RANDOM

4



THICKNESS
6 MM, 9 MM

SIZE
1200X1200MM





FINISH
GLOSSY

EFFECT
MARBLE

ORIENT BROWN

RANDOM

4



THICKNESS
6 MM, 9 MM

SIZE
1200X1200MM

FINISH
GLOSSY

EFFECT
MARBLE

PETRA NOVA BIANCO

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

OROBICO GREY

RANDOM

4



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

SILVER ROOT

RANDOM

2



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

SKY ONYX

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE

PIETRA GREY LUCIDATO

RANDOM

8



THICKNESS

6 MM, 9 MM

SIZE



1200X1200MM

FINISH

GLOSSY

EFFECT



MARBLE



ROSE BLACK

RANDOM

8



THICKNESS

6 MM, 9 MM

SIZE




1200X1200MM

FINISH

GLOSSY

EFFECT



MARBLE



—
STATUARIO ITALIA

RANDOM

—
4



THICKNESS

—
6 MM, 9 MM

SIZE

—
1200X1200MM

FINISH

—
GLOSSY



EFFECT

—
MARBLE

—
STATUARIO ICE

RANDOM

—
4



THICKNESS

—
6 MM, 9 MM

SIZE

—
1200X1200MM

FINISH

—
GLOSSY

EFFECT

—
MARBLE

STATUARIO LUCIDATO

RANDOM

3



THICKNESS
6 MM, 9 MM

SIZE
1200X1200MM


FINISH
GLOSSY

EFFECT
MARBLE

STATUARIO SUPER

RANDOM

4



THICKNESS
6 MM, 9 MM

SIZE
1200X1200MM


FINISH
GLOSSY

EFFECT
MARBLE

—
STATUARIO PEARL

RANDOM

—
4



THICKNESS

—
6 MM, 9 MM

SIZE

—
1200X1200MM

FINISH

—
GLOSSY


EFFECT

—
MARBLE

—
WHITE ONYX

RANDOM

—
4



THICKNESS

—
6 MM, 9 MM

SIZE

—
1200X1200MM

FINISH

—
GLOSSY

EFFECT

—
MARBLE



BOOK MATCH



GLOSSY



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM


FINISH

GLOSSY

EFFECT

MARBLE





THICKNESS

6 MM, 9 MM

SIZE


1200X1200MM

FINISH

GLOSSY

EFFECT

MARBLE





FINISH



MATT




Scintillating and yet serene.
These marbles encompass the core of style,
finesse and majesty.



OXIDO BROWN

RANDOM

10



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

MATT


EFFECT

MARBLE

CEMENT

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

MATT


EFFECT

MARBLE

FOSSIL GREY

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

MATT


EFFECT

MARBLE

GREGOR BEIGE

RANDOM

2



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

MATT



EFFECT

MARBLE

FROST GREY

RANDOM

5



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

MATT



EFFECT

MARBLE

OXIDE EARTH

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

MATT



EFFECT

MARBLE

URBAN GREY

RANDOM

6



THICKNESS

6 MM, 9 MM

SIZE

1200X1200MM

FINISH

MATT

EFFECT

MARBLE

TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
-----------------	--	--------	-------------

REGULATORY PROPERTIES

Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter

STRUCTURAL PROPERTIES

Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 ⁻⁶	Max 6.5x10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11

CHEMICAL PROPERTIES


Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

SAFETY PROPERTIES




Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAIL




SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT (APPROX.)
1200x1200 MM	9 MM	2	31	61



✓ RIGHT



✗ WRONG



STORAGE


We should use a forklift truck, at least 2,5 mts. long, with the forks positioned in the largest width position, in order to handle the pallet on a proper way. Under normal conditions, the forks are positioned in the middle of the long side of the pallet, as they must hold the whole depth of the pallet. To allow the extraction of the slabs in a safe and easy way, it is recommended to position the pallets in a suitable area where the lift truck can be moved around all sides of the pallet.

HANDLING SLAB

IBIS's Extra large format slabs arrive in oversized crates, which require specific handling equipment. To prevent damage from occurring during forklift operation, specific fork sizes must be used. For example, to handle a crate of 135cm x 305cm tiles from the side, 112cm/ 44" long forks are recommended.


To handle the same crate from the narrow end requires forks that are at least 213cm/ 84" long. Lifting multiple crates with longer forks may require forklifts with a greater lift capacity.

Specialised tools and equipment are currently available for the handling and installation of large porcelain surfaces. Innovative trowels with unique notch configurations can help increase the consistency of the mortar coverage on the back of the tile.



HANDLING EQUIPMENT

Handling device to free move 150X150 Slabs (use 2 for 305cm Slab)



Double Suction Cup 115 MM




Modular Bench BM 180




LEVELLING EQUIPMENT


RLS Clips for Tiles 10-12 MM thick (½" - ¾") - 400 pcs bag



Wedges in 1000 pcs / carton



Adjustable pliers for wall and floor covering



CUTTING EQUIPMENT

Free cut guide with complete outfit Max. cut of length-156 CM



Free cut extension length - 170 CM




Cutting of pillars for tiles/slabs Thickness 6-12 MM



MECHANICAL FIXING EQUIPMENT

Fix Stainless Steel Hook for 8 MM thickness tiles - 500 pcs



Cut Grooving Machine 850w-230v 50/60hz

